GENITOURINARY MEDICINE

A G Lawrence

A Méheus

Editor: A Mindel

President MSSVD: M Waugh

Hon Sec MSSVD: M Godley

Assistant Editor: C A Carne

Assistant Editor, Abstracts: C Sonnex

G Bird L Corey R A Coutinho B A Evans D J Jeffries

R S Pattman P Piot M Stanley D Taylor-Robinson F Judson CJN Lacey I V D Weller L Weström J M A Lange

H Young A J Zuckerman H zur Hausen

Editor

British Medical Journal

Technical Editor: Kenneth Till

This Journal, founded by the Medical Society for the Study of the Venereal Diseases, publishes original work on the investigation and treatment of genitourinary and allied disorders, and review articles, correspondence, and abstracts.

Advice to authors Papers for publication, which will be accepted on the understanding that they have not been and will not be published elsewhere and are subject to editorial revision, should be sent in duplicate to Dr A Mindel, Academic Department of Genitourinary Medicine, James Pringle House, Middlesex Hospital, London W1N 8AA. All authors must give signed consent to publication. Submitted papers must be accompanied by the following statement, signed by all the authors: "No paper resembling the enclosed article has been or will be published except in Genitourinary Medicine. We transfer all copyright ownership to Genitourinary Medicine." Manuscripts will only be acknowledged if a stamped addressed postcard or international reply coupon is enclosed. Rejected papers will not be returned. Figures will be returned if requested at the time of submission.

Full details of requirements for manuscripts in the Vancouver style (BMJ 1982;284:1766-70) are given in Uniform requirements for manuscripts submitted to biomedical journals, available from the Publishing Manager, British Medical Journal, BMA House (50p post free). Briefly details are as follows:

- (1) Scripts (including correspondence and book reviews) must be typewritten on one side of the paper in double spacing with ample margins. Two copies should be sent.
- (2) Each script should include, in the following order: a brief summary (structured summaries are preferred), typed on a separate sheet, outlining the main observations and conclusions; the text divided into appropriate sections; acknowledgements; references; tables, each on a separate sheet; and legends for illustrations.
- (3) The title of the paper should be as brief as possible.
- (4) The number of authors should be kept to the minimum, and only their initials and family names used.
- (5) Only the institution(s) where work was done by each author should be stated.
- (6) SI units must be used. If old fashioned units are used, SI units should be given in parentheses or, for tables and figures, a conversion factor given as a footnote.
- (7) Only recognised abbreviations should be used.
- (8) Acknowledgements should be limited to workers whose courtesy or help extended beyond their paid work, and supporting organisations.
- (9) Figures should be numbered in the order in which they are first mentioned in the text. Captions should be typed on a separate sheet. (Diagrams: use thick, white paper and insert lettering lightly in pencil. Photographs: should be marked lightly on the back with the author's name and indicating the top, and should not be attached by paper clips or pins. They should be trimmed to include only the relevant section (and will be reproduced 68 or 145 mm wide) to eliminate the need for reduction. Photomicrographs must have internal scale markers. Radiographs should be submitted as photographic prints, carefully prepared so that they bring out the exact point to be
- (10) Tables should be numbered, have titles, and be typed on separate sheets. Please avoid large tables and use the format which appears in current issues.

(11) References should be numbered consecutively the first time they are cited and identified by arabic numbers in the text, tables, and legends to figures. Authors must take full responsibility for the accuracy of their references, and the list should be kept as short as practicable. It should be in the order in which references are first mentioned, and should include (in the following order), journals: author's name and initials, title of paper, name of journal (in full or abbreviated according to the list in Index Medicus), year of publication, volume number, and first and last page numbers; books: author's name and initials, full title, edition, place of publication, publisher, and year of publication. When a chapter in a book is referred to, the name and initials of the author of the chapter, title of the chapter, "In:", name and initials of the editor, and "ed" should precede book title, etc as above. In references to journals or books, when there are seven or more authors the names of the first three should be given followed by "et al." Names of journals no longer published or not in Index Medicus should be given in full - for example, British Journal of Venereal Diseases.

Proofs Contributors receive one proof, and should read it carefully for printers' errors and check the tables, figures, legends, and any numerical, mathematical, or other scientific expressions. Alterations should be kept to a minimum.

Reprints A limited number of reprints may be ordered at cost from the Publishing Manager when the proofs are returned.

Notice to subscribers This Journal is published bimonthly. The annual subscription rates are £95.00 inland, £101.00 overseas, and \$169 in the USA. Subscribers may pay for their subscriptions by Access, Visa, or American Express by quoting on their orders the credit or charge card preferred, the appropriate personal account number, and the expiry date of the card. Orders should be sent to the Subscriptions Manager, Genitourinary Medicine, BMA House, Tavistock Square, London WC1H 9JR. Orders can also be placed locally through any leading subscription agent or bookseller. (For the convenience of readers in the USA, subscription orders, with or without payment, can be sent to: British Medical Journal, Box 560B, Kennebunkport, Maine 04046. All inquiries, however, including those regarding air mail rates and single copies already published, should be addressed to the publisher in London.) Second class postage paid, Rahway NJ Postmaster. Send address changes to: Genitourinary Medicine c/o Mercury Airfreight International Ltd Inc, 2323 Randolph Avenue, Avenel, NJ 07001, USA.

Notice to advertisers Applications for advertisement space and for rates should be addressed to the Advertisement Manager, Genitourinary Medicine, BMA House, Tavistock Square, London WC1H 9JR.

Copyright © 1990 by Genitourinary Medicine. This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any relaxations permitted under national copyright laws, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is not, however, required to copy abstracts of papers or of articles on condition that a full reference to the source is shown. Multiple copying of the contents of the publication without permission is always illegal.

463 Matters arising

2 De Schryver A, Meheus A. International travel and sexually transmitted diseases. World Health Stat 1989; 42:90-9.

Focal vulvitis and localised dyspareunia

We were most interested to read Dr Oates recent article on focal vulvitis and localised dyspareunia in Genitourin Med 1990;66:28-30.1 However, we would like to draw your attention to a recent article on this subject which has been discussed by McKay in the Archives of Dermatology.²

In 1983 two different authors described separately the pathological changes of vestibular glands and the treatment of the symptom-complex, which consists of vulval burning, dyspareunia associated with erythema around the vestibular gland and focal tenderness.34 However, in 1987 Friedrich⁵ who was unable to detect any active infection in the vestibular gland, called this a vulvar vestibulitis syndrome. In our view Peckham et al6 also had described in 1986 the same condition but under a different title.

Some recent work by Turner and Marinoff⁷ has ascribed dyspareunia to human papilloma virus (HPV) infection in some instances. They in 1988 had studied seven patients with vulvar vestibulitis syndrome and discovered acetowhite areas in the vulvar vestibule in all their patients, but histology proved non-diagnostic in four. However, using the Southern blot method for DNA hybridisation all their seven patients were positive for HPV DNA, but only one was type 6. In the remaining six patients typing for 6, 11, 16, 18, and 31 was negative.

These authors suggested that HPV infection could be one of the causes of vulvar vestibulitis syndrome which is therefore treatable. We are not sure whether treatment of such sub-clinical HPV lesions would prove beneficial in every case. We would agree with McKay² that as multiple factors influence the subjective complaints of vulvodynia which needs a thorough diagnostic search, along with sympathetic approach and understanding, a larger study of this complex problem would be of great help.

> R NADARAJAH K R HÅYE

Manchester Royal Infirmary, Oxford Rd, Manchester M13 9WL

- 1 Oates JK. Focal vulvitis and localised dyspareunia. Genitourin Med 1990;66:
- 2 McKay M. Vulvodynia. Arch Dermatol
- 1989;135:256-62.
 3 Friedrich EG. The vulvar vestibule. *J Reprod Med* 1983;28:773-9.
- 4 Woodruff JD, Palmley TH. Infection of the minor vestibular gland. Obstet Gynaecol 1983;62:609-11
- 5 Friedrich EG. Vulvar vestibulitis syndrome. J Reprod Med 1987;32:110.
- 6 Peckham BM, Maki DG, Patterson JJ, Hefez GR. Focal vulvitis: a characteristic syndrome and cause of dyspareunia. Am J 1986;154:856-64. Obstet Gynecol
- 7 Turner MLC, Marinoff SF. Association of human papilloma virus with vulvodynia and vulvar vestibulitis syndrome. J Reprod Med 1988;33: 533–7.

NOTICES

Organisers of meetings who wish to insert notices should send details to the editor (address on the inside front cover) at least eight months before the date of the meeting or six months before the closing date for applications.

18th World Congress of Dermatology-New York, 12-18 June

The next (18th) World Congress of Dermatology will take place in New York City from 12-18 June 1992. "Dermatology—Progress and Perspectives" is the theme of the 6 day programme, focusing on the most recent advances and important issues in worldwide dermatology, and future directions in research and therapy. The Congress will provide a stimulating educational experience and a unique opportunity for dermatologists to interact with colleagues from all over the world.

John S Strauss has been named President of the Congress, and Stephen I Katz will serve as the Secretary General. Honorary

Presidents are Rudolf L Baer and Clarence S Livingood. Alan R Shalita is the Deputy Secretary General.

The preliminary programme, forms, and registration abstract materials will be available in December 1990. Additional information can be obtained from the 18th Congress Secretariat, 22 Euclid Woodbury, NJ 08096, USA.

The Medical Society for the Study of Venereal Diseases (MSSVD) Undergraduate Prize - Regulations

- 1 A prize of £150.00, to be called the MSSVD Undergraduate Prize, will be awarded annually by the MSSVD (provided an entry of a suitable standard is received).
- Entries for the prize will take the form of a report written in English.
- The subject of the report should be related to sexually transmitted disease, genitourinary medicine, or human immunodeficiency virus (HIV) related infection.
- The report should concern original and unpublished observations made by the entrant. The report, which should not exceed 2000 words, should include an introduction to the subject, methods used to make the observations, findings, and discussion. A summary of the report should also be provided on a separate sheet. Entries must be machine or type written, with double spacing, on one side only of A4 paper. Three copies must be submitted.
- The subject must be approved by a genitourinary physician at the entrant's medical school. The observation must be made before full registration. A winner may not enter for the prize again. Each entry should be accompanied by a declaration that these conditions have been fulfilled.
- Entries should be submitted to the honorary secretary of the MSSVD by June 30 each year. They will then be considered by the president, the honorary secretary, and the honorary treasurer. When appropriate other experts may be consulted. These assessors will make recommendations to council,

464 Notices

- who will make the final decision concerning the prize.
- 7 Entries must be submitted within 12 months of full registration or its equivalent.
- 8 Regulations are obtainable from the honorary secretary of the MSSVD.
- 9 The assessors may ask the editor of an appropriate journal to consider an entry for publication. If so, it will be received for publication in the usual way.

The Medical Society for the Study of Venereal Diseases. Report of the Honorary Secretary to the 69th Annual General Meeting held at the Royal Society of Medicine on 12 October 1990

During this year, the membership of the society has risen from 507 to 557 of which 148 are overseas members. Five honorary life members were elected: Sir Donald Acheson, Professor King Holmes, Professor Anton Luger, Dr Philip Rodin and Professor Ernst Stolz.

Five ordinary general meetings were held and these were all well attended. The Society is grateful to the Royal Society of Medicine for allowing the meetings to be held in the Barnes Hall. The meetings were sponsored by Gist-brocades and by the Wellcome Foundation and the Society thanks them for their support.

The Spring Meeting was held in Shanklin, Isle of Wight, from 17-20 May 1990. Thirty six papers were presented and 36 shown as posters. The content and standard of presentation were high and the third MSSVD Spring Meeting Prize was awarded to Dr Helen Lacey from Manchester. There was a record attendance of 162 delegates and 44 guests. The Society is grateful to Dr Christine Baksi and her team for organising such a splendid meeting. Thanks go to the pharmaceutical companies who provided such generous sponsorship-in particular to Bayer UK, Gist-brocades, Janssen Pharmaceuticals, KabiVitrum, May & Baker, Pfizer, Smith Kline & Beecham and The Wellcome Foundation.

A highly successful joint meeting between MSSVD and the Dutch Society for the Study of Sexually Transmitted Diseases (entitled "Sexually Transmitted Diseases: Viral Infections as a Cause of STD) was held in Amsterdam from 17–18 November 1989.

The ninth genitourinary study weekend for doctors in training in genitourinary medicine was held at Tetley Hall, The University of Leeds, from 31 March to 1 April 1990 and was attended by 92 doctors. The Society is grateful to Bayer UK for providing financial support. The next meeting will again be held in Leeds on the weekend of 13–14 April 1991, and again Bayer has promised full support.

The Council of the Society met on five occasions and discussed many issues of importance to the specialty including: the association of genitourinary medicine with dermatology following changes in the EEC expected to occur in 1992, the role of genitourinary medicine following introduction of the White Paper, cervical cytology and confidentiality, and the composition of the Council of MSSVD.

Genitourinary Medicine Volume 65 in 1989 consisted of 433 pages and contained 82 original papers. The papers were concerned with all aspects of sexually transmitted infections and were received from all over the world. The Society thanks Dr Adrian Mindel for his hard work as Editor in improving the appearance and content of the journal.

I should like to give my personal thanks for their support and encouragement during my first year of office to the Honorary Treasurer Dr James Bingham, the Honorary Assistant Secretary Dr Mark FitzGerald, and especially to the President and previous Honorary Secretary, Dr Michael Waugh.

DR MJ GODLEY, 12 October 1990

BOOK REVIEWS

Immunology of Sexually Transmitted Diseases. Edited by D J M Wright. (Pp 274; Price £45.) Dordrecht: Kluwer Academic Publishers. ISBN 0 746 200 870.

The subject of immunology and its applications in clinical medicine are

rapidly expanding and Immunology and Medicine Series attempts to provide contemporary views of immunological mechanisms in a range of clinical specialities. As the editor of this volume says, "the modern clinician is expected to be the fount of all wisdom concerning conventional diagnoses and management within his sphere of practice" and this was never more true than in the field of genitourinary medicine where immunology is perceived to be integral to the understanding and management of most sexually transmitted diseases (STD).

This multi-author text provides a much needed starting point for understanding the role of immune mechanisms in pathogenesis, diagnosis and treatment of a wide range of STD, an area sadly lacking to date in the specialist training of genitourinary physicians. It is suitable for clinicians and other health care professionals working in the field who wish to have a working knowledge of the subject, for pathologists and scientists who desire background or a starting point for specific research projects, and as a reference text for medical students. The book rightly assumes an understanding of general immunology; it adequately covers most major areas of STD, including: syphilis, hepatitis, HIV, gonorrhoea, herpes, Reiter's syndrome, mycoplasma and chlamydial infections, scabies, warts, and provides sections on relevant allergic reactions, most chapters with excellent bibliographies.

Overall a well written book recommended for clinicians, pathologists and scientists working in the field of genitourinary medicine.

CLOVEDAY

ABC of Sexually Transmitted Diseases by MW Adler. (Pp 70: £10.95). London: BMA, 1990 (ISBN 0-7279-0261-X)

The second edition of this book will be welcomed by all who need to recommend an up-to-date, concise book encompassing all aspects of genitourinary medicine suitable for General Practitioners and medical students.

The first thing I noticed about the new edition was the change of illustration on the cover—this cleverly demonstrates the potential spread of a sexually transmitted disease. The

Book reviews 465

chapter headings are unaltered with contributions as before from Ian Weller and David Goldmeier. The page setting remains the same but the text, graphs and tables have all been updated and the numbers of clinical pictures (now in colour) have increased. These show good examples of typical appearances.

In a book aimed at the non-specialist a clinical approach to the common symptoms of urethral discharge, vaginal discharge and genital ulcers is very sensible, and this has been maintained in the first few chapters of this new edition. These cover the potential causes, the appropriate examination, investigations and management. Guidance is given as to which patients

could be managed by the non-specialist and which should be referred. This is in the form of easy to follow flow charts.

The chapter that needed most updating was on AIDS. The original version was written before the identification of HIV and covered only two pages. This has now been expanded to eight pages which compactly cover the whole spectrum from epidemiology through to treatments and prevention.

The remainder of the sexually transmitted diseases are covered in the more traditional disease-based way. In addition to these there are chapters on dermatological and other non-transmissible conditions of the genitalia with good illustrations, psychological

and sexual problems and the problems of sexually transmitted diseases in pregnancy and neonates.

As with all short books space has limited the discussions of treatment and management and although those recommended may not be followed by all genitourinary physicians, alternatives are given.

This new edition remains just as refreshing as the old in its approach to genitourinary medicine and is now completely updated. At £10.95 it is easily affordable for all medical students, nurses and doctors who want a sound basic knowledge and understanding of sexually transmitted diseases and allied conditions.

JANET WILSON

ASSESSORS

JP Ackers

The Editor thanks the following for their help in assessing submitted papers in 1990.

JF Alderete Erica Allason-Jones OP Arva C Bentley PCL Beverley Anona L Blackwell A Boulton-Hewitt CA Carne Orla Carney PL Chiodini L Corey RA Coutinho Pauline M Dowd CSF Easmon **BA Evans** Greta E Forster Susie M Foster ON Gill RJC Gilson Margaret J Godley D Goldmeier **RN** Gruneberg MJ Hare Alison L Harris

GJ Hart A Hatfield RI Hav Cathy A Ison DJ Jeffries Anne M Johnson F Judson GR Kinghorn Gabriella Kocjan CJN Lacey Marie Laga JMA Lange AS Latif AG Lawrence GM Levene SB Lucas D Mabey A Meheus Danielle E Mercey D Miller **EJG Milrov** DM Musher Pat E Munday S Myint **IMA** Northover

JD Oriel Jackie M Parkin RS Pattman P Piot **GL Ridgway** C Marjorie Ridley Angela J Robinson **GR Scott** ME Shipley A Singer NP Smith C Sonnex Margaret F Spittle WE Stamm E Margaret G Stanley D Taylor-Robinson RN Thin D Warhurst MA Waugh IVD Weller IG Williams DJ Wright **HB** Young H zur Hausen

INDEX TO VOLUME 66, 1990

Authors and subjects are indexed together. (When there are four or more authors only the first three are indexed.) Page numbers preceded by (MA) refer to Matters Arising.

ABDENNADER S, CASIN I, BRUNAT N, et al: Sexual transmission of Gardnerella vaginalis (corr), 45

ABDOOL KARIM SS. See COOVADIA YM, 124

ABRAM R. See CLARKE J, 189

ACQUIRED IMMUNE DEFICIENCY SYNDROME (AIDS). See also HUMAN IMMUNODEFICIENCY VIRUS

The Genitourinary physician, 2

HIV-1 P4 antigenaemia does not predict time of survival, 138 Knowledge in a group of young adolescent girls in Leeds, 189 Parvovirus infection and anaemia: case report, 95

Treatment of CMV retinitis with zidovudine and ganciclovir, 156

ACYCLOVIR

Oral, long-term suppression of severe recurrent genital herpes simplex infections: dose-titration study, 101

ADOLESCENT GIRLS

Colposcopy (corr), 228

Sexually active: C trachomatis, 66

Sexual behaviour and knowledge about AIDS in a group in Leeds, 189

AFRICA

South: community-based seroprevalence survey of syphilis in black children (corr), 124

STD (Editorial), 235

AHMED HJ. See ISMAIL SO, 70

AHMED IH. See JAYAWEERA DT, 305

ALAWATTEGAMA AB. See COKER DM, 44

ALDERETE JF. See LEHKER MW, 193

AL-EGAILY SS. See DUNLOP EMC, 227

ALERGANT C: Lesson of the week, introduced by BA Evans, 272 AMSTERDAM

Increase of infectious syphilis among heterosexuals: its relationship to drug use and prostitution, 31

AN-PING N, CHUN-XIA GU, SHI-TAI LI, et al: The prevalence of Chlamydia infection in outpatient clinics in Beijing, China (corr), 125

ANDERSEN LP. See KROON S, 101

ANDERSON-FABRY DISEASE

Angiokeratoma corporis diffusum universale (clinical vignette), 399

ANTIBIOTICS. See also specific antibiotics

Changing pattern of resistance of N gonorrhoeae (Editorial), 55

Quality assurance scheme in long-term multicentre study of susceptibility of N gonorrhoeae, 8

ANUS

Verrucous carcinoma containing HPV type 16 DNA detected by in situ hybridisation: case report, 342

ARTHRITIS

Gonococcal, caused by auxotype P in a man with HIV infection, 91

Reactive, caused by Yersinia pseudotuberculosis (MA), 48

ARUMAINAYAGAM JT, SUMATHIPALA AHT: Value of performing biopsies in genitourinary clinics (corr), 407

ARUMAINAYAGAM JT, SUMATHIPALA AHT, SMALLMAN LA, et al: Flat condylomata of the penis presenting as patchy balanoposthitis, 251

ARUMAINAYAGAM JT, WHITE DJ, MATTHEWS RS: Longer incubation of an amplified enzyme immunoassay for the detection of Chlamydia trachomatis (corr), 461

AUDIT. See MEDICAL AUDIT

BAKAYA V. See KUMAR B, 105

BARNES RC. See VETTER KM, 182

BARTHOLIN'S ABSCESS: The role of C trachomatis, 24

BARTON SE. See MOYLE G, 91

BEAUJEAN G, WILLEMS I: Prevalence of Chlamydia trachomatis infection in pregnant women in Zaire (corr), 124

BECK EJ, DONEGAN C, KENNY C, et al: An update on HIV-testing at a London Sexually Transmitted Diseases Clinic: long-term impact of the AIDS media campaigns, 142

BECKER TM. See STONE KM, 16

BELGIUM

HIV infection, STD's and HIV antibody testing practices in prostitutes, 337

BERRON S. See VAZQUEZ JA, 302, 303

BERTRAND J. See SZAREWSKI A, 205

BHAT SK. See HIRA SK, 159

BIGNELL CJ. See JAYAWEERA DT, 305

BINDAYNA KM. See ISON CA, 351

BIRD AG: Monitoring of lymphocyte subpopulation changes in the assessment of HIV infection (Editorial), 133

BISHOP PE, MCMILLAN A, FLETCHER S: An immunohistological study of spontaneous regression of condylomata acuminata, 79

BLEKER OP, SMALBRAAK DJC, SCHUTTE MF: Bartholin's abscess: the role of Chlamydia trachomatis, 24

BOOK REVIEWS

ADLER MW: ABC of sexually transmitted diseases (1990), 464
BAKER DA, ed: Acyclovir therapy for herpesvirus infections
(1990), 128

FOWLER JE, with M Lee and AA Caldamone: Urinary tract infection and inflammation (1989), 127

LAIRD SM: My life before penicillin (1988), 127

LEOUNG G, MILLS J, eds: Opportunistic infections in patients with the acquired immunodeficiency syndrome (1989), 49

MEHUIS A, SPIER RE, eds: Vaccines for sexually transmitted diseases (1989), 307

MINDEL A, ed: AIDS: a pocket book of diagnosis and management (1990), 230

MINDEL A: Herpes simplex virus, 49

UEKI H, YAOITA H: A colour atlas of dermatoimmunohistocytology (1989), 126

WRIGHT DJM, ed: Immunology of sexually transmitted diseases, 464

BOTSWANA

Ngonorrhoeae, T vaginalis, and yeast reported from attenders at an antenatal clinic in a rural area (corr), 460

BRADDICK MR, NDINYA-ACHOLA JO, MIRZA NB, et al: Towards developing a diagnostic algorithm for Chlamydia trachomatis and Neisseria gonorrhoeae cervicitis in pregnancy, 62

BRITISH COOPERATIVE CLINICAL GROUP: Survey of human immunodeficiency virus infection and sexually transmitted diseases in homosexual and bisexual men attending genitourinary medicine clinics in the UK during 1986–88, 387

BRUNAT N. See ABDENNADER S, 45

CANDIDIASIS

Recurrent vaginal, intermittent postmenstrual prophylaxis with a 500 mg clotrimazole vaginal tablet, 357

CARNEY O. See MINDEL A, 14

CARRINGTON D. See SCOULAR A, 226

in Leeds, 189

CLOTRIMAZOLE

CLARKE JR. See HAY PE, 428

COELHO DC. See SIVAKUMAR K, 270

Intermittent postmenstrual prophylaxis of recurrent vaginal

candidiasis with a 500 mg vaginal tablet, 357

CASIN I. See ABDENNADER S, 45 COETZEE K. See O'FARRELL N, 200 CEPHALOSPORIN COKER DM: Yersinia pseudotuberculosis infection as a cause of And penicillin resistance in gonococci, 351 reactive arthritis as seen in a genitourinary clinic (MA), 48 CERVICAL CANCER COKER DM, STANLEY B: Genital herpes diagnosed by cervical Genital papillomaviruses and polymerase chain reaction, cytology (MA), 306 (Editorial), 415 COKER DM, STANLEY B: Genito-urinary medicine in rural areas in CERVICAL CYTOLOGY England (corr), 125 Concurrent chlamydia sampling: use of the Cytobrush, 205 COKER DM, WILLIAMS O, ALAWATTEGAMA AB: Preliminary evalua-Diagnosis of genital herpes (MA), 47, 306 tion of cold coagulation as a treatment for cervical intra-CERVICAL INTRAEPITHELIAL NEOPLASIA epithelial neoplasia in a department of genitourinary Colposcopy in teenagers (corr), 228 medicine (corr), 44 Preliminary evaluation of cold coagulation (corr), 44 COLD COAGULATION CERVICITIS Preliminary evaluation in cervical intraepithelial neoplasia Associated with C trachomatis and N gonorrhoeae: diagnostic (corr), 44 algorithm, 62 COLLINGHAM K. See DESSELBERGER U, 313 CERVIX UTERI COLPOSCOPY C trachomatis infections: screening in two Dutch populations, Choosing equipment, 297 In teenagers (corr), 228 Granuloma inguinale: a carcinoma look-alike, 380 CONDOMS Is a test of cure necessary following treatment for infection Factors influencing use in a sample of homosexually active with C trachomatis? 444 men, 346 CHANCROID CONDYLOMATA ACUMINATA Four different treatment regimens, 105 External: randomised clinical trial comparing podophyllin, CHANG F, KOSUNEN O, KOSMA V-M, et al: Verrucous carcinoma of cryotherapy, and electrodesiccation, 16, (MA) 305 the anus containing human papillomavirus type 16 detected Flat, of the penis presenting as patchy balanoposthitis, 251 by in situ hybridisation: a case report, 342 Immunohistological study of spontaneous regression, 79 CHATTOPADHYAY B, HONEYCOMBE J: Detection of Chlamydia Intrameatal penile: detection of HPV DNA in semen (MA), trachomatis in semen samples, 407 229 CHIKAMATA DM. See HIRA SK, 159 Need for screening (MA), 228, 305 Penile, in a child: case report (corr), 226 Prevalence of chlamydia infection in outpatient clinics in Topical idoxuridine for treatment in males, 254 CONNOLLY GM, GAZZARD BG, HAWKINS DA: Fixed drug eruption Beijing (corr), 125 due to foscarnet, 97 CHLAMYDIA COOVADIA YM, ABDOOL KARIM SS: A community-based Seroepidemiology in Costa Rica, 182 seroprevalence survey of syphilis in black children (corr), 124 CHLAMYDIA TRACHOMATIS. See also CHLAMYDIAL INFECTION Corrections 137, 409 Among sexually active teenage girls: influence of sampling location and clinical signs on the detection rates, 66 COSTA RICA Seroepidemiology of chlamydia, 182 And N gonorrhoeae cervicitis in pregnancy: diagnostic COUTINHO RA. See van den HOEK JAR, 31 algorithm, 62 COXON APM. See HUNG AJ, 423 Comparison of cytobrush and cotton swab sampling for CRAWSHAW SC, HARAN MV: Genital warts and the need for detection by cell culture, 267 screening (MA), 228 Detection in semen samples (corr), 407 CREMER AWF: The choice of microscopes for use in genitourinary Detection: longer incubation of an amplified enzymne medicine clinics, 222 immunoassay (corr), 461 CRYOTHERAPY Role in Bartholin's abscess, 24 Treatment of external genital warts, 16 Sampling and concurrent endocervical cytology using the CUZICK J. See SZAREWSKI A, 439 Cytobrush, 205 CYMALON CHLAMYDIAL INFECTION In management of urinary tract symptoms (corr), 461 Cervical: screening in two Dutch populations, 361 CYTOBRUSH Cervical infection, is a test of cure necessary following Concurrent endocervical cytology and chlamydia sampling, treatment? 444 205 Gastrointestinal obstruction, 26, (MA) 408 CYTOLOGY Genital, in a Somali village, 70 Comparison of four sampling techniques in a genitourinary Prevalence in outpatient clinics in Beijing, China (corr), 125 medicine clinic, 439 Prevalence in pregnant women in Zaire (corr), 124 CHRISTOFINIS G. See HUNT AJ, 423 CYTOMEGALOVIRUS (CMV) CHUN-XIA GU. See AN-PING NI, 125 Retinitis: home treatment with intravenous ganciclovir (corr), CIPROFLOXACIN Retinitis in AIDS patients treated with zidovudine and Resistant N gonorrhoeae in the UK (corr), 43 ganciclovir, 156 CLARK S. See MULHALL BP, 5 CLARKE J, ABRAM R, MONTEIRO EF: The sexual behaviour and knowledge about AIDS in a group of young adolescent girls

DANIELSSON D. See KAMWENDO F, 324

with Chlamydia trachomatis (MA), 408

Causing recurrent genital ulceration, 270

DE K, ESSEX-CATER AJ: Gastrointestinal obstruction associated

DAVIS J. See FRENCH PD, 302, 304

DAWSON J. See FITZPATRICK R, 346

DERMATITIS HERPETIFORMIS

468 Index

DE SILVA AH. See SIVAKUMAR K, 228 GAZZARD BG. See CONNOLLY GM, 97 DESSELBERGER U, COLLINGHAM K: Molecular techniques in the GENITAL INFECTIONS diagnosis of human infectious diseases (Review), 313 In women attending a genito-urinary clinic in Harare, DONEGAN C. See BECK EJ, 142 Zimbabwe, 178 DOPPENBERG HJAT. See THEWESSEN EAPM, 361 Recurrent: a result of immunosuppression? (MA), 409 DOXYCYCLINE GENITAL ULCERS Vs placebo in postgonococcal urethritis: double-blind study, Holey prepuce (MA), 48 20, (MA) 408 Male, in Paris (France): absence of correlation between DRAKE SM. See THANGKHIEW I, 305 clinical aspect and microbiological data (corr), 43 DRAPER G. See HOOSEN AA, 380 Recurrent: a case of dermatitis herpetiformis, 270 DUNLOP EMC, EL-EGAILY SS, HOUANG ET: Penicillin concentra-Scrotal, in HIV-positive patients: case reports, 93 tions in CSF during repository treatment for syphilis (corr), GENITAL WARTS. See CONDYLOMATA ACUMINATA 227 Genitourinary Medicine: Changes (Editorial), 1 DUTHIE SJ. See KING PA, 257 GENITOURINARY MEDICINE DYSPAREUNIA In rural areas in England (corr), 125 Localised, and focal vulvitis, 28, (MA) 463 GENITOURINARY MEDICINE CLINICS Choice of microscopes, 222 EASMON CSF: The changing pattern of antibiotic resistance of Choosing equipment for colposcopy, 297 Comparison of four cytological sampling techniques, 439 Neisseria gonorrhoeae (Editorial), 55 EGGLESTONE SI, KAM KM, LAI CF: Decreased in vitro antibiotic Genital infections in women attending a clinic in Harare, susceptibility of N gonorrhoeae isolates in Hong Kong (MA), Zimbabwe, 178 462 HIV infection in patients attending in England and Wales, ELECTRODESSICATION 1988, 57 Treatment of external genital warts, 16 Planning and design, 393 ENGELKENS HJH, GINAI AZ, JUDANARSO J, et al: Radiological and Services; consumers' views, 108 Survey of HIV infection and STD in homosexual and dermatological findings in two patients suffering from early vaws in Indonesia, 259 bisexual men in the UK during 1986-88, 387 ENGELKENS HJH, KANT M, ONVLEE PC, et al: Rapid in vitro Update on HIV-testing at a London clinic: long-term impact immobilisation of purified Treponema pallidum (Nichols of the AIDS media campaigns, 142 strain), and protection by extraction fluids from rabbit testes, Value of performing biopsies (corr), 407 367 Workload in England (corr), 304 ENGELKENS HJH, VUZEVSKI VD, JUDANARSO J, et al: Early yaws: a GENITOURINARY PHYSICIANS and AIDS, 2 GILL MJ. See ISON CA, 82 light microscopic study, 264 GINAI AZ. See ENGELKENS HJH, 259 **ERYTHROMYCIN** In chancroid, 105 GIULIANI M. See GRECO D, 383 ESSEX-CATER AJ. See DE K, 408 GLASGOW, SCOTLAND ESTREICH S, FORSTER GE, ROBINSON A: Sexually transmitted Changing trends in genital herpes due to HSV type 1, 1985– diseases in rape victims, 433 88 (corr), 226 GLASSON JH. See SMITH ER, 409 EVANS BA: Introduction to "Lesson of the week" by Cecil Alergant, 272 GNARPE H. See RAHM VA, 66 EVANS BA. See also MCLEAN KA, 20; RADCLIFFE KW, 399 GODLEY MJ: MSSVD. Report of the Honorary Secretary to the 69th Annual General Meeting . . . 1990, 464 GOLDMEIER D. See FRENCH PD, 302, 304; HILLMAN RJ, 93 FIELDHOUSE S. See MULHALL BP, 5 GOMBOSOVA A, VALENT M: Dot-immunobinding assay with FITZPATRICK R, MCLEAN J, DAWSON J, et al: Factors influencing monoclonal antibody for detection of Trichomonas vaginalis condom use in a sample of homosexually active men, 346 in clinical specimens, 447 FIXED DRUG ERUPTION GONOCOCCAL INFECTION due to Foscarnet, 97 Arthritis caused by auxotype P in a man with HIV infection, FLETCHER S. See BISHOP PE, 79 FORSEY P. See WELCH J, 460 Trends: no room for complacency (corr), 302 FORSLIN L. See KAMWENDO F, 324 GONORRHOEA FORSSMAN L. See ROTH AC, 357 Declining rates in The Netherlands, 1976-88: consequences FORSTER GE. See ESTREICH S, 433 for the AIDS epidemic, 148 FOSCARNET Diagnostic methods (Review), 453 Fixed drug eruption: case report, 97 Epidemiology and aetiology of acute non-tuberculous salpin-FRENCH PD, DAVIS J, GOLDMEIER D: Syphilis among heterosexuals gitis, 324 In a Somali village, 70 FRENCH PD, DAVIS J, GOLDMEIER D, et al: Trends in gonococcal GOORNEY BP, LACEY H, THURAIRAJASINGAM S, et al: Avascular infection: no room for complacency (corr), 302 necrosis of the hip in a man with HIV infection, 451 GOUDSMIT J. See MULDER JW, 138 **GANCICLOVIR** GRAHAM EM. See WELCH J, 460 And zidovudine in treatment of CMV retinitis in AIDS: GRANULOMA INGUINALE Cervix: a carcinoma look-alike, 380 outcome and toxicity, 156 Intravenous for home treatment of CMV retinitis (corr), 460 Rapid stain for diagnosis, 200 GARDNERELLA VAGINALIS GRECO D, GIULIANI M, SULIGOI B, et al: Sexually transmitted Sexual transmission (corr), 45 diseases in Italy: clinical returns versus statutory notifica-GASTROINTESTINAL OBSTRUCTION

tions, 383

GRIFFITHS M: Detection of human papillomavirus DNA in

Associated with C trachomatis, 26, (MA) 408

semen from patients with intrameatal penile warts (MA), 229 GRIFFITHS M: Syphilis in art (MA), 462

GUPTA POC, OWEN DS: Outpatient treatment of syphilis with penicillins (corr), 408

GUPTA R. See KUMAR B, 226 GWANZURA L. See MASON PR, 178

hadgu a. See stone km, 16

HAJI TC. See TURNER A, 43

HAPPONEN H-P, LASSUS A, SANTALAHTI J, et al: Topical idoxuridine for treatment of genital warts in males. A doubleblind comparative study of 0.25% and 0.5% cream, 254 HARAN MV. See CRAWSHAW SC, 228

HARE MJ: Choosing equipment for colposcopy in genitourinary medicine, 297

HAWKINS DA. See CONNOLLY GM, 97

HAY PE, CLARKE JR, TAYLOR-ROBINSON D, et al: Detection of treponemas DNA in the CSF of patients with syphilis and HIV infection using the polymerase chain reaction, 428

HAY PE, TAM RWK, KITCHEN VS, et al: Gummatous lesions in men infected with human immunodeficiency virus and syphilis, 374

haye kr. See nadarajah r, 463

HERPES GENITALIS

Associated cutaneous infections, 14

Diagnosed by cervical cytology (MA) 47, 306

Due to HSV type 1 in Glasgow, 1985-88 (corr), 226

Labial adhesions (MA), 48

Severe recurrent, long-term suppression with oral acyclovir: dose-titration study, 101

Type 2, and other genital ulcerative infections as a risk factor for HIV-1 acquisition, 330

HILLMAN RJ, GOLDMEIER D, TAYLOR-ROBINSON D: Scrotal ulceration in HIV-positive patients, 93

HILLMAN RJ, TOMLINSON D, MCMILLAN A, et al: Sexual assault of men: a series, 247

HIP

Avascular necrosis in a man with HIV infection, 451

HIRA SK, BHAT GJ, CHIKAMATA DM, et al: Syphilis intervention in pregnancy: Zambian demonstration project, 159

HOMOSEXUAL MEN

Active, sample: factors influencing condom use, 346
And bisexual men attending genitourinary medicine clinics in

the UK during 1986-88: survey of HIV infection, 387 Anti-sperm antibodies: prevalence and correlation with sex-

ual behaviour, 5 Natural history of HIV infection in a London cohort, 238 Seroprevalence of HIV-1 infection in a cohort, 423

HONG KONG

Decreased in vitro antibiotic susceptibility of N gonorrhoeae isolates (MA), 462

STD amongst pregnant Vietnamese refugees, 257

HONEYCOMBE J. See CHATTOPADHYAY B, 407

HOOSEN AA, DRAPER G, MOODLEY J, et al: Granuloma inguinale of the cervix: a carcinoma look-alike, 380

HOOSEN AA. See also O'FARRELL N, 200

HOUANG ET. See DUNLOP EMC, 227

HUMAN IMMUNODEFICIENCY VIRUS. See also ACQUIRED IMMUNE DEFICIENCY SYNDROME

And STD: prevalence in outpatients in Lilongwe, Malawi, 244

And STD: survey in homosexual and bisexual men attending genitourinary medicine clinics in the UK during 1986–88, 287

And syphilis: detection of treponemas DNA in the CSF of infected patients using the polymerase chain reaction, 428 And syphilis, gummatous lesions in infected men, 374

Avascular necrosis of the hip in an infected man, 451

Failure to maintain high-dose treatment regimens during long-term use of zidovudine in patients with symptomatic type 1 infection, 418

Gonococcal arthritis caused by auxotype P in an infected man, 91

HSV type 2 and other genital ulcerative infections as a risk factor for acquisition, 330

Infection in patients attending STD clinics in England and Wales 1988, 57

Infection: monitoring of lymphocyte subpopulation changes (Editorial review), 133

Infection: seroprevalence in a cohort of homosexually active men, 423

Infection, STD and HIV-antibody testing practices in Belgian prostitutes, 337

Natural history: five year study in a London cohort of homosexual men, 238

Scrotal ulceration, 93

Update on testing at a London STD clinic: long-term impact of the AIDS media campaigns, 142

HUMAN PAPILLOMAVIRUS (HPV)

Detection of DNA in semen from patients with intrameatal penile warts (MA), 229

Polymerase chain reaction and cervical cancer (*Editorial*), 415 Type 16 DNA detected by in situ hybridisation contained in verrucous carcinoma of anus: case report, 342

HUNT AJ, CHRISTOFINIS G, COXON APM et al: Seroprevalence of HIV-1 infection in a cohort of homosexually active men, 423 HUTCHINSON, Jonathan 1828–1913, 401

IDOXURIDINE

Topical, for treatment of genital warts in males, 254 INDONESIA

Radiological and dermatological findings in two patients suffering from early yaws, 259

INTERNATIONAL UNION AGAINST THE VENEREAL DISEASES AND THE TREPONEMATOSES

Bulletin, 41

INTRAUTERINE CONTRACEPTIVE DEVICE

Epidemiology and aetiology of acute non-tuberculous salpingitis, 324

ISMAIL SO, AHMED HJ, JAMA MA, et al: Syphilis, gonorrhoea and genital chlamydial infection in a Somali village, 70

ISON CA: Methods of diagnosing gonorrhoea (Review), 453

ISON CA, BINDAYNA KM, WOODFORD N, et al: Penicillin and cephalosporin resistance in gonococci, 351

ISON CA, GILL MJ, WOODFORD N: Transfer of beta-lactamase plasmids by conjugation in Neisseria gonorrhoeae, 82

STD: clinical returns versus statutory notifications, 383

Jama ma. See ismail so, 70

JAMAICA

Biological false positive serological tests for syphilis, 76 JAMES OB'L. See SMIKLE MF, 76

JANIER M, RAMEL F, LAJOIE C, et al: Male genital ulcerations in Paris (France): Absence of correlation between clinical aspect and microbiological data (corr), 43

JAYAWEERA DT, AHMED IH, BIGNELL CJ, et al: Genital warts and the need for screening (MA), 305

JEPHCOTT AE. See TURNER A, 43

JOBSIS GJ. See VAN LEEUWEN R, 418

JOHANNESSEN G. See SHELLER JP, 460

JUDANARSO J. See ENGELKENS HJH, 259, 264

KAM KM. See EGGLESTONE SI, 462

KAMWENDO F, FORSLIN L, DANIELSSON D: Epidemiology and aetiology of acute non-tuberculous salpingitis. A comparison between the early 1970s and the early 1980s with special reference to gonorrhoea and use of intrauterine contraceptive device, 324

KANT M. See ENGELKENS HJH, 367; van der sluis JJ, 165

KEET IPM, LEE FK, VAN GRIENSVEN GJP, et al: Herpes simplex virus Type 2 and other genital ulcerative infections as a risk factor for HIV-1 acquisition, 330

KELLY GE, STANLEY BS, WELLER IVD: The natural history of human immunodeficiency virus infection: a five year study in a London cohort of homosexual men, 238

KENNY C. See BECK EJ, 142

KING PA, DUTHIE SJ, MA HK: Sexually transmitted diseases amongst pregnant Vietnamese refugees in Hong Kong, 257 KINGHORN GR: The genitourinary physician and AIDS, 2

KITCHEN VS. See HAY PE, 374

KOSMA V-M. See CHANG F, 342

KOSUNEN O. See CHANG F, 342

KRIJNEN P. See MULDER JW, 138

KRISTENSEN K: The prevalence of symptomatic sexually transmitted diseases and human immunodeficiency virus infection in outpatients in Lilongwe, Malawi, 244

KROON S, PETERSEN CS, ANDERSEN LP, et al: Long-term suppression of severe recurrent genital herpes simplex infections with oral acyclovir: a dose-titration study, 101

KUMAR B, GUPTA R, SHARMA SC: Penile condylomata acuminata in a male child: a case report (corr), 226

KUMAR B, SHARMA VK, BAKAYA V: Sulphaphenazole, streptomycin and sulphaphenazole combination, trimethroprim, and erythromycin in the treatment of chancroid, 105

LABIAL ADHESIONS

After genital herpes infection (MA), 48

LACEY H. See GOORNEY BP, 451

LAI CF. See EGGLESTONE SI, 462

LAJOIE C. See JANIER M, 43

LAMB J. See THIN RNT, 393

LASSUS A. See HAPPONEN H-P, 254

LATIF AS: Sexually transmitted diseases in Africa (Editorial), 235

LATIF AS. See also MASON PR, 178

LEASK BGS. See SCOULAR A, 226

LEE ES, LEE MG, LEE JB: Tumourous syphilid, 202

LEE FK. See KEET IPM, 330

LEE JB. See LEE ES, 202

LEE MG. See LEE ES, 202

LEEDS, UK

Sexual behaviour and knowledge about AIDS in a group of young adolescent girls, 189

LEES MI, NEWNAN DM, PLACKETT M, et al: A comparison of cytobrush and cotton swab sampling for the detection of Chlamydia trachomatis by cell culture, 267

LEHKER MW, ALDERETE JF: Properties of Trichomonas vaginalis grown under chemostat controlled growth conditions, 193 LIM JMH. See MCLEAN KA, 20

LONDON

Natural history of HIV infections: five year study in a cohort of homosexual men, 238

Update on HIV-testing at an STD clinic, 142

LOZANO MC. See PALOMARES JC, 87

MA HK. See KING PA, 257

MCLEAN J. See FITZPATRICK R, 346

MCLEAN KA, EVANS BA, LIM JMH, et al: Postgonococcal urethritis: a double-blind study of doxycycline vs placebo, 20

MCMILLAN A. See BISHOP PE. 79; HILLMAN RJ, 247

MAK R, PLUM J, Van RENTERGHEM L: Human immunodeficiency virus infection, sexually transmitted diseases and HIVantibody testing practices in Belgian prostitutes, 337 MALAWI

Prevalence of symptomatic STD and HIV infection in outpatients in Lilongwe, 244

MALAYSIA

Prevalence of STD among prostitutes, 334

MANDAL D: Post-gonococcal urethritis: a double blind study of doxycycline (MA), 408

MASON PR, GWANZURA L, LATIF AS, et al: Genital infections in women attending a genito-urinary clinic in Harare, Zimbabwe, 178

matthews rs. See arumainayagam jt, 461

MEDICAL AUDIT

In the UK (corr), 45

MEDICAL SOCIETY FOR THE STUDY OF VENEREAL DISEASES (MSSVD)

Secretary's report to the 69th AGM, 464

Undergraduate prize—regulations, 463

MENENDEZ B. See VAZQUEZ JA, 303

MERCEY DE: Medical audit in the UK (corr), 45

MERCEY DE. See also RADCLIFFE KW, 444

MICROSCOPES

For use in genitourinary medicine clinics, 222

MIDGLEY J. See MOYLE G, 91

MILLAR AB, MILLER RF, PATOU G, et al: Treatment of cytomegalovirus retinitis with zidovudine and ganciclovir in patients with AIDS, 156

MILLER RF. See MILLAR AB, 156

MILSOM I. See ROTH AC, 357

MINDEL A: Changes in Genitourinary Medicine (Editorial), 1

MINDEL A, CARNEY O, WILLIAMS P: Cutaneous herpes simplex infections, 14

MIRZA NB. See BRADDICK MR, 62

MITCHELL SA, WELCH JM, WESTON-SMITH S, et al: Parvovirus infection and anaemia in a patient with AIDS: a case report, 95

MOLECULAR BIOLOGY

Of STD: Symposium, 295

Techniques in the diagnosis of human infectious diseases, 313

MONTEIRO EF. See CLARKE J, 189

MOODLEY J. See HOOSEN AA, 380

MORTON RS: Syphilis in art: an entertainment in four parts. Part 1, 33; Part 2, 112; Part 3, 208; Part 4, 280

MOYLE G, BARTON SE, MIDGLEY J, et al: Gonococcal arthritis caused by auxotype P in a man with HIV infection, 91

MULDER JW, KRIJNEN P, GOUDSMIT J, et al: HIV-1 P24 antigenaemia does not predict time of survival in AIDS patients, 138

MULHALL BP, FIELDHOUSE S, CLARK S, et al: Anti-sperm antibodies in homosexual men: prevalence and correlation with sexual behaviour, 5

MUNDAY PE: Genitourinary medicine services; consumers' views, 108

MUNDAY PE, SAVAGE S: Cymalon in the management of urinary tract symptoms (corr), 461

MYINT S: Symposium on molecular biology of sexually transmitted diseases, 295

NADARAJAH R, HAYE KR: Focal vulvitis and localised dyspareunia (MA), 463

NAYAGAM M. See SZAREWSKI A, 439

NDINYA-ACHOLA JO. See BRADDICK MR, 62

NEISSERIA GONORRHOEAE

And C trachomatis cervicitis in pregnancy: diagnostic algorithm, 62

Antibiotic resistance, plasmid profile, auxotypes and serovars of strains isolated in Sevilla, Spain, 87

Changing pattern of antibiotic resistance (Editorial), 55

Ciprofloxacin resistant, in the UK (corr), 43 PLUM J. See MAK R, 337 Decreased in vitro antibiotic susceptibility of isolates in Hong PODOPHYLLIN Kong (MA), 462 Treatment of external genital warts, 16 In attenders at an antenatal clinic in a rural area in Botswana POLAKOFF S: HIV infection in patients attending clinics for sexually transmitted diseases in England and Wales (corr), 460 Isolate resistant to tetracycline in Spain (corr), 303 (Collaborative study), 57 Lectins agglutination test as an epidemiological marker (corr), POLYMERASE CHAIN REACTION Detection of treponemas DNA in the CSF of patients with syphilis and HIV infection, 428 Penicillin and cephalosporin resistance, 351 Quality assurance scheme in a long-term multicentric study Genital papillomaviruses and cervical cancer (Editorial), 415 of antibiotic susceptibility, 8 POMPEY A. See SZAREWSKI A, 205 Transfer of beta-lactamase plasmids by conjugation, 82 PRABHAKAR P. See SMIKLE MF, 76 PREGNANCY NEISSERIA MENINGITIDIS Genital infections (MA), 305 C trachomatis infection in Zaire (corr), 124 Diagnostic algorithm for C trachomatis and N gonorrhoeae NETHERLANDS Declining gonorrhoea rates, 1976-88: consequences for the cervicitis, 62 N gonorrhoeae, T vaginalis, and yeast reported from attenders AIDS epidemic, 148 at an antenatal clinic in a rural area in Botswana (corr), 460 Screening for cervical C trachomatis infections in two populations, 361 STD amongst Vietnamese refugees in Hong Kong, 257 Syphilis intervention: Zambian demonstration project, 159 NEWMAN DM. See LEES MI, 267 NG SK. See THAM SN, 99 NGEOW YF. See RAMACHANDRAN S, 334 Belgian: HIV infection, STD and HIV-antibody testing practices, 337 Increase of infectious syphilis among heterosexuals in OATES JK: Focal vulvitis and localised dyspareunia, 28 Amsterdam, 31 OATES JK, ROWEN D: Desquamative inflammatory vaginitis. A Prevalence of STD in Malaysia, 334 review, 275 PUBLIC HEALTH LABORATORY SERVICE. See POLAKOFF S, 57 OBERLE MW. See VETTER KM, 182 OBLIND V. See RAHM VA, 66 O'FARRELL N: Holey prepuce following genital ulceration (MA), RADCLIFFE KW, EVANS BA: Anderson-Fabry disease (Angiokeratoma corporis diffusum universale), 399 O'FARRELL N, HOOSEN AA, COETZEE K, et al: A rapid stain for the RADCLIFFE KW, ROWEN D, MERCEY DE, et al: Is a test of cure diagnosis of granuloma inguinale, 200 necessary following treatment for cervical infection with OLSEN T. See SHELLER IP, 460 Chlamydia trachomatis? 444 O'MAHONY C, TIMMINS DJ: Workload in genitourinary medicine RAHM VA, ODLIND V, GNARPE H: Chlamydia trachomatis among clinics in England (corr), 304 sexually active teenage girls: influence of sampling location ONVLEE PC. See ENGLELKENS HJH, 367, van der SLUIS JJ, 165 and clinical signs on the detection rate, 66 ORIEL JD: Eminent venereologists 4: Jonathan Hutchinson, 401 RAMACHANDRAN S, NGEOW YF: The prevalence of sexually OWEN AWMC. See PEGG DJ, 26 transmitted diseases among prostitutes in Malaysia, 334 OWEN DS. See GUPTA PC, 408 RAMEL F. See JANIER M, 43 RAPE VICTIMS Sexually transmitted diseases, 433 PALOMARES JC, LOZANO MC, PEREA EJ: Antibiotic resistance, RETINITIS plasmid profile, auxotypes and serovars of Neisseria gonor-Caused by cytomegalovirus in AIDS patients: treatment with rhoeae strains isolated in Sevilla (Spain), 87 PAPILLOMAVIRUS. See HUMAN PAPILLOMAVIRUS zidovudine and ganciclovir, 156 ROBINSON A. See ESTREICH S. 433 PARIS, FRANCE Male genital ulcerations: absence of correlation between ROTH AC, MILSOM I, FORSSMAN L, et al: Intermittent prophylactic clinical aspect and microbiological data (corr), 43 treatment of recurrent vaginal candidiasis by postmenstrual PARVOVIRUS INFECTION application of a 500 mg clotrimazole vaginal tablet, 357 And anaemia in AIDS: case report, 95 ROWAN D. See OATES JK, 275; RADCLIFFE KW, 444 ROY RB. See SIVAKUMAR K, 228, 270 PATOU G. See MILLAR AB, 156 PEGG DJ, OWEN AWMC: Gastrointestinal obstruction associated with Chlamydia trachomatis, 26 **SALPINGITIS** And cephalosporin resistance in gonococci, 351 Acute, non-tuberculous, epidemiology and aetiology, 324 CSF concentrations during repository treatment for syphilis SANKAR K: Treatment of external genital warts (MA), 305 (corr), 227 Santalahti J. See happonen h-p, 254 Outpatient treatment of syphilis (corr), 408 SAVAGE S. See MUNDAY PE, 461 SCHUTTE MF. See BLEKER OP, 24 Condylomata acuminata in a child: case report (corr), 226 SCOULAR A, LEASK BGS, CARRINGTON D: Changing trends in Detection of HPV DNA in semen from patients with genital herpes due to Herpes simplex virus type 1 in Glasgow, intrameatal warts (MA), 229 1985-88 (corr), 226 Flat condylomata presenting as patchy balanoposthitis, 251 SCROTUM Holey prepuce following genital ulceration (MA), 48 Ulceration in HIV-positive patients: case reports, 93 PEREA EJ. See PALOMARES JC, 87 SEMEN SAMPLES PETERSEN CS. See KROON S, 101 Detection of C trachomatis (corr), 407

SEXUAL ASSAULT

Of men: a series, 247

PICKERING J. See van de LAAR MJW, 148

PLACKETT M. See LEES MI, 267

472 Index

SEXUAL BEHAVIOUR

And knowledge about AIDS in a group of young adolescent girls in Leeds, 189

SEXUALLY TRANSMITTED DISEASES

Amongst pregnant Vietnamese refugees in Hong Kong, 257
And HIV infection, survey in homosexual and bisexual men
attending clinics in the UK during 1986-88, 387

HIV infection and HIV-antibody testing practices in Belgian prostitutes, 337

In Africa (Editorial), 235

In Italy: clinical return versus statutory notifications, 383 In rape victims, 433

Prevalence among prostitutes in Malaysia, 334

Reviews of molecular biology, 313

Symposium on molecular biology, 295

Symptomatic, prevalence in outpatients in Lilongwe, Malawi, 244

SHARMA SC. See KUMAR B, 226

SHARMA VK. See KUMAR B, 105

SHELLER JP, JOHANNESSEN G, OLSEN T, et al: Neisseria gonorrhoeae, Trichomonas vaginalis, and yeast reported from attenders at an antenatal clinic in a rural area in Botswana (corr), 460 SHI-TAI LI. See AN-PING NI, 125

SIVAKUMAR K, COELHO DC, ROY RB: Recurrent genital ulceration: a case of dermatitis herpetiformis, 270

SIVAKUMAR K, DE SILVA AH, ROY RB: Colposcopy in teenagers (corr), 228

SKIN LESIONS

Herpes simplex infections, 14

SMALBRAAK DJC. See BLEKER OP, 24

SMALLMAN LA. See ARUMAINAYAGAM JT, 251

SMIKLE MF, JAMES O'BL, PRABHAKAR P: Biological false positive serological tests for syphilis in the Jamaican population, 76 SMITH ER, GLASSON JH, WOODS WH: Recurrent genital tract infections: a result of induced immunosuppression? (MA),

409

SOMALIA

Syphilis, gonorrhoea and genital chlamydial infection in a village, Jambaluul, 70

SPAIN

Antibiotic resistance, plasmid profile, auxotypes and serovars of *N gonorrhoeae* strains isolated in Sevilla, 87

Isolate of TET M-containing N gonorrhoeae (corr), 303
SPERMATOZOA

Anti-sperm antibodies in homosexual men: prevalence and correlation with sexual behavior, 5

STACK WC: Genital herpes diagnosed by cervical cytology (MA), 47

STANLEY B. See COKER DM, 125, 306

STANLEY BS. See KELLY GE, 238

STANLEY M: Genital papillomaviruses, polymerase chain reaction and cervical cancer (*Editorial*), 415

STONE KM, BECKER TM, HADGU A, et al: Treatment of external genital warts: a randomised clinical trial comparing podophyllin, cryotherapy, and electrodessication, 16
STREPTOMYCIN

And sulphaphenazole combination in chancroid, 105 SULIGOI B. See GRECO D, 383

SULPHAPHENAZOLE

Alone or in combination with streptomycin in chancroid, 105 SUMATHIPALA AHT. See ARMAINAYAGAM JT, 251, 407

suzuki t. *See* tanaka s**, 171**

SYPHILIS

Among heterosexuals (corr), 304

And HIV: detection of treponemas DNA in the CSF of infected patients using the polymerase chain reaction, 428
 And HIV, gummatous lesions in infected men, 374
 Anti-Treponema pallidum IgM, IgA, and IgG subclass

antibody responses after treatment in patients at various stages: 1. Assessments by ELISA, 171

Biological false positive serological tests in the Jamaican population, 76

Community-based seroprevalence survey in black children (corr), 124

In art, 33, 112, 208, 280 (MA) 462

In a Somali village, 70

Infectious, increase among heterosexuals in Amsterdam: its relationship to drug use and prostitution, 31

Intervention in pregnancy: Zambian demonstration project, 159

Outpatient treatment with penicillins (corr), 408

Penicillin concentrations in CSF during repository treatment (corr), 227

Secondary, with framboesiform lesions: case report, 99 Tumorous syphilid: case report, 202

SZAREWSKI A, CUZICK J, NAYAGAM M, et al: A comparison of four cytological sampling techniques in a genitourinary medicine clinic, 439

SZAREWSKI A, POMPEY A, BERTRAND J, et al: Use of the Cytobrush for concurrent endocervical cytology and chlamydia sampling, 205

TAM FWK. See HAY PE, 374

TANAKA S, SUZUKI T: Anti-Treponema pallidum IgM, IgA, and IgG subclass antibody responses after treatment in patients with syphilis at various stages: 1. Assessment by enzymelinked immunosorbent assay, 171

TAPSALL JW: Use of a quality assurance scheme in a long-term multicentric study of antibiotic susceptibility of Neisseria gonorrhoeae (Australian gonococcal surveillance programme), 8 TAYLOR-ROBINSON D. See HAY PE, 428; HILLMAN RH, 93

TEENAGERS. See ADOLESCENT GIRLS

TETRACYCLINE

Resistance of N gonorrhoeae in Spain (corr), 304

THAM SN, NG SK: Secondary syphilis with framboesiform lesions,

THANGKHIEW I, DRAKE SM, WALZMAN M, et al: Genital infections due to Neisseria meningitidis (MA), 305

THEWESSEN EAPM, van der MEIJDEN WI, DOPPENBERG HJAT, et al: Screening for cervical Chlamydia trachomatis infections in two Dutch populations, 361

THIN RNT, LAMB J: Guidance for the planning and design of genitourinary medicine clinics, 393

THURAIRAJASINGHAM S. See GOORNEY BP, 451

TIMMINS DJ. See: O'MAHONY C, 304

TOMLINSON D. See HILLMAN RJ, 247

TREPONEMA PALLIDUM. See also SYPHILIS

Inaccessibility of the outer membrane to anti-treponemal antibodies, a possible role of serum proteins, 165

Purified: rapid in vitro immobilisation and protection by extraction fluids from rabbit testes, 367

TRICHOMONAS VAGINALIS

Detection in clinical specimens: dot-immunobinding assay with monoclonal antibody, 447

Grown under chemostat controlled growth conditions, 193 In attenders at an antenatal clinic in a rural area of Botswana (corr), 460

TRIMETHOPRIM

In chancroid, 105

TURNER A, JEPHCOTT AE, HAJI TC, et al: Ciprofloxacin resistant Neisseria gonorrhoeae in the UK (corr), 43

ULCERS. See GENITAL ULCERS

UNITED KINGDOM

Ciprofloxacin resistant N gonorrhoeae (corr), 43 Medical audit (corr), 43

URETHRITIS

Postgonococcal: double-blind study of doxycycline vs placebo, 20 (MA), 408

URINARY TRACT

Cymalon in the management of symptoms (corr), 461

VAGINITIS

Desquamative inflammatory. A review, 275

valent m. See gombosova a, 447

van de LAAR MJW, PICKERING J, van den HOEK JAR, et al: Declining gonorrhoea rates in The Netherlands, 1976–88: consequences for the AIDS epidemic, 148

van den HOEK JAR, van der LINDEN MMD, COUTINHO RA: Increase of infectious syphilis among heterosexuals in Amsterdam: its relationship to drug use and prostitution, 31

van den HOEK JAR. See also van de LAAR MJW, 148

van den HURK PJ. See van LEEUWEN R, 418

van der LINDEN MMD. See van den HOEK JAR, 31

van der meijden wi. See thewessen eapm, 361

van der SLUIS JJ, KANT M, ONVLEE PC, et al: The inaccessibility of the outer membrane of adherent *Treponema pallidum* (Nichols strain) to anti-treponemal antibodies, a possible role of serum proteins, 165

van GRIENSVEN GJP. See KEET IPM, 330

van LEEUWEN R, van den HURK PJ, JOBSIS GJ, et al: Failure to maintain high-dose treatment regimens during long-term use of zidovudine in patients with symptomatic human immunodeficiency virus type I infection, 418

van renterghem L. See MAK R, 337

VAZQUEZ JA, BERRON S: Lectins agglutination test as an epidemiological marker for *Neisseria gonorrhoeae (corr)*, 302 VAZQUEZ JA, BERRON S, MENENDEZ B: Isolate of TET M-containing *N gonorrhoeae* in Spain (corr), 303

VENEREOLOGISTS

Albert Neisser (MA), 46

Jonathan Hutchinson, 401

VERRUCOUS CARCINOMA

Anal, containing HPV type 16 DNA: case report, 342 VETTER KM, BARNES RC, OBERLE MW, et al: Seroepidemiology of chlamydia in Costa Rica, 182

VIETNAMESE REFUGEES

Pregnant, in Hong Kong: STD, 257

VULVITIS

Focal, and localised dyspareunia, 28, (MA) 463 VUZEVSKI VD. See ENGELKENS HJH, 264

WADE AAH. See WALZMAN M, 48

WALZMAN M, WADE AAH: Labial adhesions after genital herpes infection—authors reply (MA), 48

WALZMAN M. See also THANGKHIEW I, 305

WARTS. See CONDYLOMATA ACUMINATA

WAUGH MA: The Bulletin of the International Union against the Venereal Diseases and the Treponematoses, 41

WAUGH MA: Eminent venereologists (MA), 46

WELCH J, FORSEY P, GRAHAM EM: Home treatment of cytomegalovirus retinitis with intravenous ganciclovir (corr), 460 WELCH JM. See MITCHELL SA, 95

WELLER IVD. See KELLY GE, 238

WESTON-SMITH S. See MITCHELL SA, 95

WHITE DJ. See ARUMAINAYAGAM JT, 461

WILLEMS I. See BEAUJEAN G, 124

WILLIAMS O. See COKER DM, 44

WILLIAMS P. See MINDEL A, 14

WOODFORD N. See ISON CA, 82, 351

WOODS WH. See SMITH ER, 409

YAWS

Early: a light microscopic study, 264

Early, in Indonesia: radiological and dermatological findings in two patients, 259

YEAST. See also CANDIDIASIS

In attenders at an antenatal clinic in a rural area in Botswana (corr), 460

YERSINIA PSEUDOTUBERCULOSIS

Infection as a cause of reactive arthritis (MA), 48

ZAIRE

Prevalence of *C trachomatis* infection in pregnant women (corr), 124

ZAMBIA

Syphilis intervention in pregnancy, 159

ZIDOVUDINE

And ganciclovir in treatment of cytomegalovirus retinitis in AIDS: outcome and toxicity, 156

Failure to maintain high-dose treatment regimens during long-term use in patients with symptomatic HIV type 1 infection, 418

ZIMBABWE

Genital infections in women attending a genito-urinary clinic in Harare, 178

GENITOURINARY MEDICINE

VOLUME 66 1990

Editor: A Mindel

President MSSVD: M Waugh Hon Sec MSSVD: M Godley Assistant Editor: C A Carne

Assistant Editor, Abstracts: C Sonnex

G Bird F Judson
L Corey C J N Lacey
R A Coutinho J M A Lange
B A Evans A G Lawrence
S M Forster A Méheus
D J Jeffries R S Pattman

R Piot A J Zuckerman
M Stanley H zur Hausen
D Taylor-Robinson
I V D Weller British Medical Journal
L Weström Technical Editor
H Young Kenneth Till

